

Figure	Code No.	Technical Parameters	Price ฿
	Copper - bond Ground Rod , Standard Type (UL Listed)		
	GRCBU 128	UL Listed , Rod Dia. = 1/2" (12.7 mm),Length 8 ft	580.00
	GRCBU 1210	UL Listed , Rod Dia. = 1/2" (12.7 mm),Length 10 ft	650.00
	GRCBU 588	UL Listed , Rod Dia. = 5/8" (14.2 mm),Length 8 ft	840.00
	GRCBU 5810	UL Listed , Rod Dia. = 5/8" (14.2 mm),Length 10 ft	920.00
	GRCBU 348	UL Listed , Rod Dia. = 3/4" (17.2 mm),Length 8 ft	1,780.00
	GRCBU 3410	UL Listed , Rod Dia. = 3/4" (17.2 mm),Length 10 ft	1,900.00
	Copper - bond Ground Rod , Standard Type		
	GRCBU 126	Rod Dia. = 1/2" (12.7 mm),Length 6 ft	480.00
	GRCBU 586	Rod Dia. = 5/8" (14.2 mm),Length 6 ft	760.00
GRCBU 346	Rod Dia. = 3/4" (17.2 mm),Length 6 ft	1,600.00	
	Copper - bond Ground Rod , Threaded Type (UL- Listed)		
	GRCBUT 128	UL Listed , Rod Dia. = 1/2" (12.7 mm),Length 8 ft	600.00
	GRCBUT 1210	UL Listed , Rod Dia. = 1/2" (12.7 mm),Length 10 ft	670.00
	GRCBUT 588	UL Listed , Rod Dia. = 5/8" (14.2 mm),Length 8 ft	860.00
	GRCBUT 5810	UL Listed , Rod Dia. = 5/8" (14.2 mm),Length 10 ft	940.00
	GRCBUT 348	UL Listed , Rod Dia. = 3/4" (17.2 mm),Length 8 ft	1,800.00
	GRCBUT 3410	UL Listed , Rod Dia. = 3/4" (17.2 mm),Length 10 ft	1,920.00
	Copper - bond Ground Rod , Threaded Type		
	GRCBUT126	Rod Dia. = 1/2" (12.7 mm),Length 6 ft	500.00
	GRCBUT 586	Rod Dia. = 5/8" (14.2 mm),Length 6 ft	780.00
GRCBUT 346	Rod Dia. = 3/4" (17.2 mm),Length 6 ft	1,620.00	
	Driving Head for Threaded Type		
	GRBDH 12	Threaded 1/2"	30.00
	GRBDH 58	Threaded 5/8"	40.00
	Driving Head for Standard Type		
	GRDSR 12	Threaded 1/2"	40.00
	GRDSR 58	Threaded 5/8"	60.00
	Coupling for Threaded Type		
	GRBCO 12	Threaded 1/2"	240.00
	GRBCO 58	Threaded 5/8"	300.00
	Tip for Threaded Type		
	GRTTR 12	Threaded 1/2"	40.00
	GRTTR 58	Threaded 5/8"	60.00
	Copper - Clad		
	GRCC 5810	Copper - Clad Steel 5/8" Length 10 ft	1,200.00

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿	
	Ground Rod Solid Copper			
	GRSC 1510	Rod Dia. = 15 mm , Length 1000 mm	1,800.00	
	GRSC 1515	Rod Dia. = 15 mm , Length 1500 mm	2,700.00	
	GRSC 1520	Rod Dia. = 15 mm , Length 2000 mm	3,600.00	
	GRSC 2010	Rod Dia. = 20 mm , Length 1000 mm	2,500.00	
	GRSC 2015	Rod Dia. = 20 mm , Length 1500 mm	3,800.00	
	GRSC 2020	Rod Dia. = 20 mm , Length 2000 mm	5,000.00	
	Ground Rod Stainless Steel			
	GRSS 1610	Rod Dia. = 16 mm , Length 1000 mm	800.00	
	GRSS 1615	Rod Dia. = 16 mm , Length 1500 mm	1,200.00	
	GRSS 1620	Rod Dia. = 16 mm , Length 2000 mm	1,600.00	
	GRSS 2010	Rod Dia. = 20 mm , Length 1000 mm	1,150.00	
	GRSS 2015	Rod Dia. = 20 mm , Length 1500 mm	1,700.00	
	GRSS 2020	Rod Dia. = 20 mm , Length 2000 mm	2,300.00	
	Spike			
	GRSP 15	For Rod Dia. = 15 mm	60.00	
	GRSP 20	For Rod Dia. = 20 mm	80.00	
		Driving Head for solid Copper/Stainless Steel		
		GRSDH 15	For Rod Dia. = 15 mm	100.00
GRSDH 20		For Rod Dia. = 20 mm	120.00	
	Coupling for Solid Copper			
	GRSC 15	For Rod Dia. = 15 mm	80.00	
	GRSC 20	For Rod Dia. = 20 mm	100.00	
	Coupling for Stainless Steel			
	GRSSCO 15	For Rod Dia. = 15 mm	60.00	
GRSSCO 20	For Rod Dia. = 20 mm	80.00		
	Electrolytic Grounding (KEG)			
	KEGV-8	OD Dia. = 2-1/8", Length 8 ft	On Request	
	KEGV-10	OD Dia. = 2-1/8", Length 10 ft	On Request	
	KEGV-12	OD Dia. = 2-1/8", Length 12 ft	On Request	
	KEGV-15	OD Dia. = 2-1/8", Length 15 ft	On Request	
	KEGH-8	OD Dia. = 2-1/8", Length 8 ft	On Request	
	KEGH-10	OD Dia. = 2-1/8", Length 10 ft	On Request	
	KEGH-12	OD Dia. = 2-1/8", Length 12 ft	On Request	
	KEGH-15	OD Dia. = 2-1/8", Length 15 ft	On Request	
	Ground Plate Lattice Copper			
	GRPL 663	Dimension 600x600x3 mm	On Request	
	GRPL 993	Dimension 900x900x3 mm	On Request	
	Ground Plate Solid Copper			
	GRPS 6615	Dimension 600x600x1.5 mm	On Request	
	GRPS 6630	Dimension 600x600x3 mm	On Request	
	GRPS 9915	Dimension 900x900x1.5 mm	On Request	
	GRPS 9930	Dimension 900x900x3 mm	On Request	
	Ground Plate Copper-Bonded Steel			
	GRPC 6615	Dimension 600x600x1.5 mm	On Request	
	GRPC 6630	Dimension 600x600x3 mm	On Request	
	GRPC 9915	Dimension 900x900x3 mm	On Request	
	GRPC 9930	Dimension 900x900x1.5 mm	On Request	
	Signal Reference Ground Grid (SRG)			
	GRSRG 240240	L = 2400 mm, W = 2400 mm, Spacing = 600 mm	On Request	
	GRSRG 240280	L = 2400 mm, W = 4800 mm, Spacing = 600 mm	On Request	

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	More Effective Grounding (MEG)		
	GRMEG - 11.5	Weight/Bag = 25 lbs	1,700.00
	GRMEG - 25	Weight/Bag = 55 lbs	3,500.00
	Ground Rod Copper Tape Clamp		
	GXCT 142-2512	Rod Dia. = 5/8"(14.2 mm), Max. Tape 25x12 mm	200.00
	GXCT 142-2618	Rod Dia. = 5/8"(14.2 mm), Max. Tape 26x18 mm	200.00
	GXCT 142-302	Rod Dia. = 5/8"(14.2 mm), Max. Tape 30x2 mm	300.00
	Ground Rod Cable Clamp		
	GXC 95-35	Rod Dia. = 3/8"(9.5 mm), Cable Size 6-35 mm ²	200.00
	GXC 127-50	Rod Dia. = 1/2"(12.7 mm), Cable Size 16-50 mm ²	200.00
	GXC 142-70	Rod Dia. = 5/8"(14.2 mm), Cable Size 16-70 mm ²	250.00
	GXC 172-95	Rod Dia. = 3/4"(17.2 mm), Cable Size 35-95 mm ²	300.00
	Ground Rod to Cable Clamp		
	GXCCC 142-95	Rod Dia. = 5/8"(14.2 mm), Cable Size 16-95 mm ²	800.00
	GXCCC 142-185	Rod Dia. = 5/8"(14.2 mm), Cable Size 70-185 mm ²	1,000.00
	GXCCC 142-300	Rod Dia. = 5/8"(14.2 mm), Cable Size 150-300 mm ²	1,200.00
	GXCCC 172-70	Rod Dia. = 3/4"(17.2 mm), Cable Size 16-70 mm ²	1,200.00
	GXCCC 172-150	Rod Dia. = 3/4"(17.2 mm), Cable Size 70-150 mm ²	1,400.00
	Ground Rod to Cable Clamp		
	GXCCC 127-25	Rod Dia. = 1/2"(12.7 mm), Cable Size 10-25 mm ²	700.00
	GXCCC 127-70	Rod Dia. = 1/2"(12.7 mm), Cable Size 37-70 mm ²	800.00
	GXCCC 142-95	Rod Dia. = 5/8"(14.2 mm), Cable Size 16-95 mm ²	800.00
	GXCCC 172-70	Rod Dia. = 3/4"(17.2 mm), Cable Size 16-70 mm ²	1,200.00
	GXCCC 142-185	Rod Dia. = 5/8"(14.2 mm), Cable Size 70-185 mm ²	1,200.00
	GXCCC 172-150	Rod Dia. = 3/4"(17.2 mm), Cable Size 70-150 mm ²	1,400.00
	GXCCC 142-300	Rod Dia. = 5/8"(14.2 mm), Cable Size 150-300 mm ²	1,600.00
	Ground Rod to Cable Clamp		
	GXCTW 172-70	Rod Dia. = 5/8"-3/4", Cable Size 25-70 mm ²	1,000.00
	GXCTW 231-70	Rod Dia. = 1", Cable Size 25-70 mm ²	1,200.00
	GXCTH 172-120	Rod Dia. = 5/8"-3/4", Cable Size 95-120 mm ²	1,200.00
	Ground Rod to Cable Clamp		
	GXCTW 231-70	Rod Dia. = 1", Cable Size 95-120 mm ²	1,400.00
	GXCTH 127-70	Rod Dia. = 1/2", Cable Size 35-70 mm ²	800.00
	GXCTH 127-120	Rod Dia. = 1/2", Cable Size 95-120 mm ²	1,000.00
	GXCTH 172-70	Rod Dia. = 5/8"-3/4", Cable Size 25-70 mm ²	1,200.00
	U-Bolt Rod Clamp		
	GXCTC 16	Rod Dia. = 16 mm , Tape Size 25x3, 25x4, 25x6 mm	600.00
	GXCTC 20	Rod Dia. = 20 mm , Tape Size 25x3, 25x4, 25x6 mm	700.00
	GXCTC 25	Rod Dia. = 25 mm , Tape Size 25x3, 25x4, 25x6 mm	900.00
	GXCTC 31	Rod Dia. = 31 mm , Tape Size 25x3, 25x4, 25x6 mm	1,300.00
	GXCTC 38	Rod Dia. = 38 mm , Tape Size 25x3, 25x4, 25x6 mm	1,500.00
GXCTC 50	Rod Dia. = 50 mm , Tape Size 25x3, 25x4, 25x6 mm	1,700.00	

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า






Figure	Code No.	Technical Parameters	Price ฿
	U-Bolt Rod Clamp		
	GXCPC 25-120	Pipe Dia = 1" Cable Size 70-120 mm ²	880.00
	GXCPC 40-120	Pipe Dia = 1 1/4" - 1 1/2" Cable Size 70-120 mm ²	1,000.00
	GXCPC 50-120	Pipe Dia = 2" Cable Size 70-120 mm ²	1,260.00
	GXCPC 65-120	Pipe Dia = 2 1/2" Cable Size 70-120 mm ²	1,420.00
	GXCPC 80-120	Pipe Dia = 3" Cable Size 70-120 mm ²	1,540.00
GXCPC 100-120	Pipe Dia = 4" Cable Size 70-120 mm ²	1,700.00	
	Rod to Cable Lug Clamp		
	GXCL 125	Rod Dia. = 1/2"	300.00
	GXCL 142	Rod Dia. = 5/8"	400.00
	GXCL 160	Rod Dia. = 5/8"	400.00
	GXCL 172	Rod Dia. = 3/4"	500.00
GXCL 231	Rod Dia. = 3/4"	500.00	
	Ground Clamp One Cable to Flat Bar		
	GXCCF -G1	Cable Size 25-50 mm ²	360.00
	GXCCF -G2	Cable Size 70-120 mm ²	500.00
GXCCF -G3	Cable Size 150-240 mm ²	800.00	
	Ground Clamp One Cable to Flat Bar		
	GXCCF -G1P	Cable Size 25-50 mm ²	500.00
	GXCCF -G2P	Cable Size 70-120 mm ²	660.00
GXCCF -G3P	Cable Size 150-240 mm ²	1,000.00	
	Ground Clamp Two Cable To Flat Bar		
	GXCCP -G1	Cable Size 25-50 mm ²	460.00
	GXCCP -G2	Cable Size 70-120 mm ²	600.00
GXCCP -G3	Cable Size 150-240 mm ²	900.00	
	Ground Clamp Two Cable To Flat Bar		
	GXCCP -G1P	Cable Size 25-50 mm ²	600.00
	GXCCP -G2P	Cable Size 70-120 mm ²	900.00
GXCCP -G3P	Cable Size 150-240 mm ²	1,200.00	
	One Cable to Pipe Clamp		
	GXPCP1-50-95	Pipe Dia. = 1 1/4"-2", Cable Size 25-50 mm ²	800.00
	GXPCP1-70-95	Pipe Dia. = 2 1/2"-3", Cable Size 25-50 mm ²	1,000.00
GXPCP1-100-95	Pipe Dia. = 3 1/2"-4", Cable Size 25-50 mm ²	1,200.00	
	Pipe Bond Clamp		
	GBP 8	Pipe Dia. = 50 - 200 mm, Cable Size 8 mm	1,200.00
	Tape Clamp		
	LPTBC	Tape Size 25x3 mm	500.00
	LPTBC-A	Tape Size 25x3 mm Aluminium	420.00
	Ground Clamp		
	LGRC-A70	Cable Size 50-70 mm ²	60.00
	LGRC-A	Cable Size 95-120 mm ²	70.00
	LGRC-B	Cable Size 150-185 mm ²	300.00
LGRC-C	Cable Size 240-300 mm ²	400.00	
	Static Earth Receptacle		
	GYSER 663	Rod Dia. = 12.7 mm	2,400.00
	Earth Point		
	GXEP 120 (1)	Earth Point 1 Hole	600.00
	GXEP 120 (2)	Earth Point 2 Hole	900.00
	GXEP 120 (4)	Earth Point 4 Hole	1,200.00

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	Earth Point with Prewelding		
	GXEP 1201-500	1 Hole , Cable Size = 70 mm ² , Cable Length = 500 mm	1,470.00
	GXEP 1202-500	2 Hole , Cable Size = 70 mm ² , Cable Length = 500 mm	1,700.00
	GXEP 1202-1000	2 Hole , Cable Size = 70 mm ² , Cable Length = 1000 mm	1,970.00
	GXEP 1202-3000	2 Hole , Cable Size = 70 mm ² , Cable Length = 3000 mm	3,120.00
	GXEP 1204-500	4 Hole , Cable Size = 70 mm ² , Cable Length = 500 mm	2,070.00
	GXEP 1204-1000	4 Hole , Cable Size = 70 mm ² , Cable Length = 1000 mm	2,340.00
	GXEP 1204-3000	4 Hole , Cable Size = 70 mm ² , Cable Length = 3000 mm	3,420.00
	Front Cover		
	GXEP 120B	For Cable Size 70 mm ²	460.00
	Eye Bolt		
	GXEYB 58	Threaded 5/8"	700.00
	GXEYB 34	Threaded 3/4"	800.00
	Earth Boss		
	GXEAB	Dia. = 50 mm, Length = 45 mm (Stainless)	700.00
	GXEAB-MS	Dia. = 50.8 mm, Length = 45 mm (Mild Steel)	460.00
	Connector Screw Type		
	LXCNS 16-35	Cable Size 16-35 mm ²	70.00
	LXCNS 50-70	Cable Size 50-70 mm ²	94.00
	LXCNS 95-120	Cable Size 95-120 mm ²	130.00
	LXCNS 150-185	Cable Size 150-185 mm ²	200.00
	Flexible Copper Braid Bond (1 Hole)		
	LZFCB 502001	Amp Rating = 200 A, Length 200 mm with Tin	1,100.00
	LZFCB 503001	Amp Rating = 200 A, Length 300 mm with Tin	1,300.00
	LZFCB 504001	Amp Rating = 200 A, Length 400 mm with Tin	1,500.00
	Flexible Copper Braid Bond (2 Hole)		
	LZFCB 353501	Amp Rating = 150 A, Length 350 mm with Tin	3,000.00
	LZFCB 503501	Amp Rating = 200 A, Length 350 mm with Tin	3,600.00
	LZFCB 703501	Amp Rating = 250 A, Length 350 mm with Tin	4,200.00
	Aluminium Test Box		
	GYATB	Dimension 265x159x85 mm	2,500.00
	PVC Test Box		
	GYPTB	Dimension 200x150x100 mm	1,800.00
	Ground Bar Without Disconnecting Link		
	GBDL 40	4 Terminals, Dimension 300x90x90 mm	2,900.00
	GBDL 80	8 Terminals, Dimension 500x90x90 mm	4,640.00
	GBDL120	12 Terminals, Dimension 750x90x90 mm	5,660.00
	Ground Bar Single Disconnecting Link		
	GBDL 41	4 Terminals, Dimension 375x90x96 mm	3,800.00
	GBDL 81	8 Terminals, Dimension 575x90x96 mm	5,360.00
	GBDL 121	12 Terminals, Dimension 825x90x96 mm	6,760.00
	Disconnecting Link		
	GBDL 253	Dimension 125x90x90 mm	1,200.00

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	Ground Bar Pit (For Inspection Pit)		
	GXGBP 2505	5 Terminals, Hole Dia. = 10 mm	600.00
	GXGBP 2507	7 Terminals, Hole Dia. = 10 mm	600.00
	GXGBP 3005	5 Terminals, Hole Dia. = 10 mm	700.00
	GXGBP 3007	7 Terminals, Hole Dia. = 10 mm	700.00
	Ground Station For Power		
	GBPGSS -6	No. of Hole = 6, Dimension 50x350x6 mm	1,500.00
	GBPGSS -8	No. of Hole = 8, Dimension 50x440x6 mm	2,040.00
	GBPGSS -12	No. of Hole = 12, Dimension 50x610x6 mm	2,500.00
	GBPGSS -6D	No. of Hole = 12, Dimension 100x350x6 mm	2,750.00
	GBPGSS -8D	No. of Hole = 16, Dimension 100x440x6 mm	3,540.00
	Ground Station For Communication		
	GBCGSS -200	No. of Hole = 6, Dimension 100x200x6 mm	1,600.00
	GBCGSS -300	No. of Hole = 11, Dimension 100x300x6 mm	2,300.00
	GBCGSS -400	No. of Hole = 15, Dimension 100x400x6 mm	3,100.00
	GBCGSS -450	No. of Hole = 18, Dimension 100x450x6 mm	3,220.00
	GBCGSS -600	No. of Hole = 24, Dimension 100x600x6 mm	4,440.00
	Concrete Inspection Pit (Square Type)		
	GXCIP	Dimension 320x320x190 mm	1,300.00
	Ground Rod Seals		
	GXCIP-WP	Dimension 370 mm	4,100.00
	FRP Inspection Pit		
	GXPIP	Dimension 320x320x192 mm	2,000.00
	Copper Earthing Electrode Water Sealing Glands		
	GXCIP -WS	Dimension 300x300x2 mm	On Request
	Static Earth Reels (Manual)		
	GER 1610	Cable Length 10 m, Dimension 230x310x440 mm	On Request
	GER 1615	Cable Length 15 m, Dimension 230x310x440 mm	On Request
	GER 1620	Cable Length 20 m, Dimension 260x310x440 mm	On Request
	GER 1625	Cable Length 25 m, Dimension 260x310x440 mm	On Request
	GER 1630	Cable Length 30 m, Dimension 300x310x440 mm	On Request
	Static Earth Reels (Automatic)		
	GERA 1610	Cable Length 10 m, Dimension 230x310x440 mm	On Request
	GERA 1615	Cable Length 15 m, Dimension 230x310x440 mm	On Request
	Digital Lightning Strike Counter		
	KLSC	Digital Lightning Strike Counter	On Request
	Impulse Impedance Meter		
	WG -407	Impulse Impedance Meter	On Request

Figure	Code No.	Technical Parameters	Price ฿
	Blunt End Air Terminals (Copper)		
	LTAT 58-30	Length = 300 mm , Rod Dia. = 15 mm , Thread 5/8"	620.00
	LTAT 58-50	Length = 500 mm , Rod Dia. = 15 mm , Thread 5/8"	950.00
	LTAT 58-60	Length = 600 mm , Rod Dia. = 15 mm , Thread 5/8"	1,135.00
	LTAT 58-100	Length = 1000 mm , Rod Dia. = 15 mm , Thread 5/8"	1,835.00
	LTAT 58-150	Length = 1500 mm , Rod Dia. = 15 mm , Thread 5/8"	2,590.00
	LTAT 58-200	Length = 2000 mm , Rod Dia. = 15 mm , Thread 5/8"	3,650.00
	LTAT 34-30	Length = 300 mm , Rod Dia. = 19 mm , Thread 3/4"	880.00
	LTAT 34-50	Length = 500 mm , Rod Dia. = 19 mm , Thread 3/4"	1,360.00
	LTAT 34-60	Length = 600 mm , Rod Dia. = 19 mm , Thread 3/4"	1,665.00
	LTAT 34-100	Length = 1000 mm , Rod Dia. = 19 mm , Thread 3/4"	2,620.00
	LTAT 34-150	Length = 1500 mm , Rod Dia. = 19 mm , Thread 3/4"	3,620.00
	LTAT 34-200	Length = 2000 mm , Rod Dia. = 19 mm , Thread 3/4"	4,900.00
	Blunt End Air Terminals (Tin Plated Copper)		
	LTAT 58-30T	Length = 300 mm , Rod Dia. = 15 mm , Thread 5/8"	775.00
	LTAT 58-50T	Length = 500 mm , Rod Dia. = 15 mm , Thread 5/8"	1,190.00
	LTAT 58-60T	Length = 600 mm , Rod Dia. = 15 mm , Thread 5/8"	1,420.00
	LTAT 58-100T	Length = 1000 mm , Rod Dia. = 15 mm , Thread 5/8"	2,295.00
	LTAT 58-150T	Length = 1500 mm , Rod Dia. = 15 mm , Thread 5/8"	3,240.00
	LTAT 58-200T	Length = 2000 mm , Rod Dia. = 15 mm , Thread 5/8"	4,560.00
	LTAT 34-30T	Length = 300 mm , Rod Dia. = 19 mm , Thread 3/4"	1,100.00
	LTAT 34-50T	Length = 500 mm , Rod Dia. = 19 mm , Thread 3/4"	1,700.00
	LTAT 34-60T	Length = 600 mm , Rod Dia. = 19 mm , Thread 3/4"	2,080.00
	LTAT 34-100T	Length = 1000 mm , Rod Dia. = 19 mm , Thread 3/4"	3,275.00
	LTAT 34-150T	Length = 1500 mm , Rod Dia. = 19 mm , Thread 3/4"	4,540.00
	LTAT 34-200T	Length = 2000 mm , Rod Dia. = 19 mm , Thread 3/4"	6,120.00
	Blunt End Air Terminals (Aluminium)		
	LTAT 58-30A	Length = 300 mm , Rod Dia. = 16 mm , Thread 5/8"	465.00
	LTAT 58-50A	Length = 500 mm , Rod Dia. = 16 mm , Thread 5/8"	715.00
	LTAT 58-60A	Length = 600 mm , Rod Dia. = 16 mm , Thread 5/8"	850.00
	LTAT 58-100A	Length = 1000 mm , Rod Dia. = 16 mm , Thread 5/8"	1,375.00
	LTAT 58-150A	Length = 1500 mm , Rod Dia. = 16 mm , Thread 5/8"	1,945.00
	LTAT 58-200A	Length = 2000 mm , Rod Dia. = 16 mm , Thread 5/8"	2,740.00
	Multi Point Air Terminal		
	LMUT 58	Rod Dia. = 5/8"	460.00
	LMUT 34	Rod Dia. = 3/4"	460.00
	Elevation Terminals for Multi Point Air Terminal		
	LELT- 58-30	Length = 300 mm , Rod Dia. = 15 mm , Thread 5/8"	620.00
	LELT- 58-50	Length = 500 mm , Rod Dia. = 15 mm , Thread 5/8"	950.00
	LELT- 58-60	Length = 600 mm , Rod Dia. = 15 mm , Thread 5/8"	1,135.00
	LELT-58-100	Length = 1000 mm , Rod Dia. = 15 mm , Thread 5/8"	1,835.00
	LELT-58-150	Length = 1500 mm , Rod Dia. = 15 mm , Thread 5/8"	2,590.00
	LELT-58-200	Length = 2000 mm , Rod Dia. = 15 mm , Thread 5/8"	3,650.00
	LELT-34-30	Length = 300 mm , Rod Dia. = 19 mm , Thread 3/4"	880.00
	LELT-34-50	Length = 500 mm , Rod Dia. = 19 mm , Thread 3/4"	1,360.00
	LELT-34-60	Length = 600 mm , Rod Dia. = 19 mm , Thread 3/4"	1,665.00
	LELT-34-100	Length = 1000 mm , Rod Dia. = 19 mm , Thread 3/4"	2,620.00
	LELT-34-150	Length = 1500 mm , Rod Dia. = 19 mm , Thread 3/4"	3,630.00
	LELT-34-200	Length = 2000 mm , Rod Dia. = 19 mm , Thread 3/4"	4,900.00

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	Air Terminal Bracket		
	LGABT -C	For Rod Dia. = 15 mm	1,100.00
	LGABB -C	For Rod Dia. = 15 mm	1,100.00
	LPAF -C	For Rod Dia. = 15 mm	440.00
	LGABT -CT	For Rod Dia. = 15 mm	1,380.00
	LGABB -CT	For Rod Dia. = 15 mm	1,380.00
	Tape Saddle		
	LTAS 58	Thread Size 5/8", Tape Size 25x3, 25x4 mm	640.00
	LTAS 34	Thread Size 3/4", Tape Size 25x3, 25x4 mm	660.00
	LTAS 58T	Thread Size 5/8", Tape Size 25x3, 25x4 mm	800.00
	LTAS 34T	Thread Size 3/4", Tape Size 25x3, 25x4 mm	820.00
	LTAS 58-A	Thread Size 5/8", Tape Size 25x3, 25x4 mm	540.00
	Round Saddle		
	LROS 58	Thread Size 5/8", Cable Size 25-70 mm ²	930.00
	LROS 34	Thread Size 3/4", Cable Size 25-70 mm ²	950.00
	Flat Saddle		
	LFLS 58	Thread Size 5/8", Cable Size 25-120 mm ²	760.00
	LFLS 34	Thread Size 3/4", Cable Size 25-120 mm ²	780.00
	Ridge Saddle		
	LRIS 58	Thread Size 5/8", Cable Size 25-120 mm ²	970.00
	LRIS 34	Thread Size 3/4", Cable Size 25-120 mm ²	990.00
	Adjustable Saddle for Cable		
	LDAS 58	Thread Size 5/8", Cable Size 25-70 mm ²	1,000.00
	LDAS 34	Thread Size 3/4", Cable Size 25-70 mm ²	1,020.00
	LDAS 58T	Thread Size 5/8", Cable Size 25-70 mm ²	1,250.00
	LDAS 34T	Thread Size 3/4", Cable Size 25-70 mm ²	1,270.00
	Adjustable Saddle for Tape		
	LDAS 58-253	Thread Size 5/8", Tape Size 25-3 mm ²	1,100.00
	LDAS 534-253	Thread Size 3/4", Tape Size 25-3 mm ²	1,120.00
	LDAS 58-253T	Thread Size 5/8", Tape Size 25-3 mm ² with Tin	1,380.00
	LDAS 34-253T	Thread Size 3/4", Tape Size 25-3 mm ² with Tin	1,400.00
	LDASA 58-253	Thread Size 5/8", Tape Size 25-3 mm ² Aluminium	940.00
	LDASA 34-253	Thread Size 3/4", Tape Size 25-3 mm ² Aluminium	960.00
	Double Base Saddle		
	LDOS 58	Thread Size 5/8", Cable Size 25-70 mm ²	880.00
	LDOS 34	Thread Size 3/4", Cable Size 25-70 mm ²	900.00
	Cross Cable Saddle		
	LCRS 58	Thread Size 5/8", Cable Size 25-70 mm ²	880.00
	LCRS 34	Thread Size 3/4", Cable Size 25-70 mm ²	900.00
	Floor Saddle		
	LFRS 58	Thread Size 5/8", Cable Size 25-70 mm ²	700.00
	LFRS 34	Thread Size 3/4", Cable Size 25-70 mm ²	720.00

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	Wall Saddle		
	LWAS 58	Thread Size 5/8", Cable Size 25-70 mm ²	700.00
	LWAS 34	Thread Size 3/4", Cable Size 25-70 mm ²	720.00
	Cable Support		
	LCAS 25-35	Cable Size 25-35 mm ²	80.00
	LCAS 50-70	Cable Size 50-70 mm ²	80.00
	LCAS 95-120	Cable Size 95-120 mm ²	120.00
	LCAS 25-35T	Cable Size 25-35 mm ² with Tin	100.00
	LCAS 50-70T	Cable Size 50-70 mm ² with Tin	100.00
	LCAS 95-120T	Cable Size 95-120 mm ² with Tin	150.00
	Cable Cross Clamp		
	LCAC 35-70	Cable Size 35-70 mm ²	550.00
	LCAC 95-120	Cable Size 95-120 mm ² with Tin	700.00
	Cable to Tape		
	LCTT 70-253	Cable Size 35-120 mm ² , Tape Size 25x3 mm	550.00
	LCTTT 70-253	Cable Size 35-120 mm ² , Tape Size 25x3 mm with Tin	690.00
	One Hole Cable Grip		
	LOCG 25-35	Cable Size 25-35 mm ²	44.00
	LOCG 50-70	Cable Size 50-70 mm ²	50.00
	LOCG 95-120	Cable Size 95-120 mm ²	68.00
	LOCG 150-185	Cable Size 150-185 mm ²	228.00
	LOCG 240-300	Cable Size 240-300 mm ²	300.00
	Cable Test Connector		
	LCATT 35-120	Cable Size 35-120 mm ²	530.00
	LCATT 35-120T	Cable Size 35-120 mm ²	660.00
	Tee Clamp		
	LTEC-A	Cable Size 50-70 mm ²	300.00
	LTEC-B	Cable Size 95-120 mm ²	400.00
	LTEC-AT	Cable Size 50-70 mm ²	420.00
	LTEC-BT	Cable Size 95-120 mm ²	560.00
	Tape Support		
	LTAS-253	Tape Size 25x3 mm	70.00
	LTAS-254	Tape Size 25x4 mm	80.00
	LTAS-256	Tape Size 25x6mm	100.00
	LTAS-383	Tape Size 38x3 mm	120.00
	LTAS-386	Tape Size 38x6 mm	150.00
	LTAS-503	Tape Size 50x3 mm	120.00
	LTAS-506	Tape Size 50x6 mm	180.00
	LTAS-253T	Tape Size 25x3 mm	88.00
	LTAS-254T	Tape Size 25x4 mm	100.00
	LTAS-256T	Tape Size 25x6 mm	125.00
	LTAS-253A	Tape Size 25x3 mm	58.00
	LTAS-254A	Tape Size 25x4 mm	60.00
	LTAS-256A	Tape Size 25x6 mm	80.00

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า





Figure	Code No.	Technical Parameters	Price ฿
	Square Tape Support		
	LSQS-253	Tape Size 25x3 mm	340.00
	LSQS-254	Tape Size 25x4 mm	400.00
	LSQS-256	Tape Size 25x6 mm	440.00
	LSQS-383	Tape Size 38x3 mm	440.00
	LSQS-386	Tape Size 38x6 mm	480.00
	LSQS-503	Tape Size 50x3 mm	500.00
	LSQS-506	Tape Size 50x6 mm	640.00
	LSQS-253T	Tape Size 25x3 mm with Tin	425.00
	LSQS-254T	Tape Size 25x4 mm with Tin	500.00
	LSQS-256T	Tape Size 25x6 mm with Tin	550.00
	LSQS-253A	Tape Size 25x3 mm Aluminium	270.00
	LSQS-254A	Tape Size 25x4 mm Aluminium	280.00
	LSQS-256A	Tape Size 25x6 mm Aluminium	360.00
	Cable-Tape Test Connector		
	LPCTTC -70253	Conductor Size 70 mm, Tape Size 25x3 mm	550.00
	LPCTTCA-95254	Conductor Size 95 mm, Tape Size 25x4 mm Aluminium	420.00
	Tape Clip		
	LPCT 203	Tape Size 20x3 mm	40.00
	LPCT 253	Tape Size 25x3 mm	50.00
	Tape Test Connector		
	LCTC 256	Tape Size 25x6 mm	460.00
	LCTC 256T	Tape Size 25x6 mm with Tin	580.00
	LCTC 256A	Tape Size 25x6 mm Aluminium	400.00
	Bar Holdfast		
	LXGBH-12	For Steel Plate 1-13 mm thickness	200.00
	Bi-Metallic Connector		
	LBMC	Length 80 mm	1,200.00
	LBMCW-12	Metallic Washer M12	240.00
	LBMCW-16	Metallic Washer M16	260.00
	Back Plate Hold Fast		
	LXPH-C	Dia 63 mm, Height 68 mm	400.00
	LXPH-A	Dia 63 mm, Height 68 mm	340.00
	Scerw Down Test Clamp		
	LXSTC-253	Tape Size 25x3 mm	1,400.00
	Beam Clamp		
	LBC-35-120	Cable Size 35-120 mm ²	1,000.00
	Terminal Lug		
	LXTEL 35	Cable Size 6-35 mm ²	200.00
	LXTEL 70	Cable Size 50-70 mm ²	240.00
	LXTEL 120	Cable Size 95-120 mm ²	300.00
	LXTEL 185	Cable Size 150-185 mm ²	400.00

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	Copper Lug for Exothermic Welding (1-Hole)		
	CL-1-25	Cable Size 25 mm ²	80.00
	CL-1-35	Cable Size 35 mm ²	100.00
	CL-1-50	Cable Size 50 mm ²	140.00
	CL-1-70	Cable Size 70mm ²	160.00
	CL-1-95	Cable Size 95 mm ²	180.00
	CL-1-120	Cable Size 120 mm ²	240.00
	CL-1-150	Cable Size 150mm ²	300.00
	CL-1-185	Cable Size 185 mm ²	360.00
	CL-1-240	Cable Size 240 mm ²	400.00
	Copper Lug for Exothermic Welding (2-Hole)		
	CL-2-25	Cable Size 25 mm ²	100.00
	CL-2-35	Cable Size 35 mm ²	120.00
	CL-2-50	Cable Size 50 mm ²	160.00
	CL-2-70	Cable Size 70mm ²	200.00
	CL-2-95	Cable Size 95 mm ²	240.00
	CL-2-120	Cable Size 120 mm ²	300.00
	CL-2-150	Cable Size 150mm ²	350.00
	CL-2-185	Cable Size 185 mm ²	400.00
	CL-2-240	Cable Size 240 mm ²	500.00
	Polypropylene Support		
	LISUV-3-25B	Black Color	30.00
	LISUV-3-25W	White Color	30.00
	Adhesive Base		
	LADSB	Base Dia 63 mm	60.00
	Tape Clip with Adhesive Base		
	LTCS 253	Tape Size 25x3 mm, Base Dia 63 mm	90.00
	LTCS 254	Tape Size 25x4 mm, Base Dia 63 mm	100.00
	LTCS 256	Tape Size 25x6 mm, Base Dia 63 mm	120.00
	LTCS 253PVC	Tape Size 25x3 mm with PVC, Base Dia 63 mm	120.00
	Pyramid Holdfast		
	LTPH 253	Tape Size 25x3 mm, Base Dimension 120x120 mm	500.00
	LTPH 254	Tape Size 25x4 mm, Base Dimension 120x120 mm	520.00
	LTPH 256	Tape Size 25x6 mm, Base Dimension 120x120 mm	540.00
	LTPH 253PVC	Tape Size 25x3 mm with PVC, Base Dimension 120x120mm	540.00
	Lighting Pole		
	LTLP-3000	Height 3 m	On Request
	LTLP-6000	Height 6 m	On Request
	LTLP-9000	Height 9 m	On Request
	LTLP-12000	Height 12 m	On Request
	LTLP-15000	Height 15 m	On Request
	LTLP-18000	Height 18 m	On Request
	LTLP-20000	Height 20 m	On Request

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	Matal Sheet Clamp		
	LYCMSS-A	Stainless Steel	110.00
	LYCMSS-AA	Stainless Steel	220.00
	LYCMSS-B	Stainless Steel	110.00
	LYCMSS-D	Stainless Steel	110.00
	LYRHT-A	Stainless Steel	50.00
	LYRHT-B	Stainless Steel	200.00
	LYCMSS-C	Stainless Steel	110.00
LYCMSS-E	Stainless Steel	110.00	
	Roof Holders for Hip or Ridge Tileds		
	LYRHT 117-35	Stainless Steel	500.00
	LYRHT 130-120	Stainless Steel	500.00
LYRHT 140-120	Stainless Steel	500.00	
	Roof Holders for Tile Sheet		
	LYRHU 702	Stainless Steel 205 mm length	360.00
	LYRHU 704	Stainless Steel 405 mm length	400.00
	Tape Conductors (Bare Copper)		
	COBCT 253	Size 25x3 (75 mm ²)	550.00
	Tape Conductors (Bare Aluminium)		
	COBAT 253	Size 25x3 (75 mm ²)	220.00
	COBAT 254	Size 25x4 (100 mm ²)	250.00
	COBAT 256	Size 25x6 (150 mm ²)	440.00
	Circular Conductors (Bare Copper)		
	COCS-8	Conductor 8 mm	400.00
	COCS-9.5	Conductor 9.5 mm	On Request
	Annealed Copper-Clad Steel Wire		
	2AWG	Conductor 2 AWG (31.67 mm ²)	200.00
	WE-COSS30-070	Conductor 7 No 7 AWG(70 mm ²)	400.00
	Stranded Copper Conductor		
	COSC 010	Cable Size 10 mm ²	40.95
	COSC 016	Cable Size 16 mm ²	63.70
	COSC 025	Cable Size 25 mm ²	87.75
	COSC 035	Cable Size 35 mm ²	132.60
	COSC 050	Cable Size 50 mm ²	191.10
	COSC 070	Cable Size 70 mm ²	267.80
	COSC 095	Cable Size 95 mm ²	370.50
	COSC 120	Cable Size 120 mm ²	468.50
	COSC 150	Cable Size 150 mm ²	572.50
	COSC 185	Cable Size 185 mm ²	717.60
	COSC 240	Cable Size 240 mm ²	936.60


















Figure	Code No.	Technical Parameters	Price ฿
	Copper Lugs High Voltage 1 - Hole		
	KOH 8-6	Conductor Size 8 AWG, Stud Size 1/4"	38.00
	KOH 6-6	Conductor Size 6 AWG (16 mm ²), Stud Size 1/4"	44.00
	KOH 4-6	Conductor Size 4 AWG (25 mm ²), Stud Size 1/4"	48.00
	KOH 2-8	Conductor Size 2 AWG (35mm ²), Stud Size 5/16"	60.00
	KOH 1/0-12	Conductor Size 1/10 AWG (50 mm ²), Stud Size 1/2"	144.00
	KOH 2/0-12	Conductor Size 2/0 AWG (70 mm ²), Stud Size 1/2"	156.00
	KOH 3/0-12	Conductor Size 3/0 AWG (95 mm ²), Stud Size 1/2"	168.00
	KOH 4/0-12	Conductor Size 4/0 AWG, Stud Size 1/2"	180.00
	KOH 250-12	Conductor Size 250 MCM (120 mm ²), Stud Size 1/2"	216.00
	KOH 300-12	Conductor Size 300 MCM (150 mm ²), Stud Size 1/2"	240.00
	KOH 350-12	Conductor Size 350 MCM, Stud Size 1/2"	252.00
	KOH 400-16	Conductor Size 400 MCM (185 mm ²), Stud Size 5/8"	288.00
	KOH 500-16	Conductor Size 500 MCM (240 mm ²), Stud Size 5/8"	390.00
	KOH 600-16	Conductor Size 600 MCM (300 mm ²), Stud Size 5/8"	580.00
	KOH 750-16	Conductor Size 750 MCM, Stud Size 5/8"	700.00
	KOH 800-16	Conductor Size 800 MCM (400 mm ²), Stud Size 5/8"	800.00
KOH 1000-16	Conductor Size 1000 MCM (500 mm ²), Stud Size 5/8"	1,100.00	
 	Copper Lugs High Voltage 2 - Hole (UL Listed)		
	KTH 8-6 DN	Conductor Size 8 AWG, Stud Size 1/4"	60.00
	KTH 6-6 DN	Conductor Size 6 AWG (16 mm ²), Stud Size 1/4"	66.00
	KTH 4-6 DN	Conductor Size 4 AWG (25 mm ²), Stud Size 1/4"	78.00
	KTH 2-8 DN	Conductor Size 2 AWG (35mm ²), Stud Size 5/16"	96.00
	KTH 1/0-12 DN	Conductor Size 1/0 AWG (50 mm ²), Stud Size 1/2"	180.00
	KTH 2/0-12 DN	Conductor Size 2/0 AWG (70 mm ²), Stud Size 1/2"	192.00
	KTH 3/0-12 DN	Conductor Size 3/0 AWG (95 mm ²), Stud Size 1/2"	200.00
	KTH 4/0-12 DN	Conductor Size 4/0 AWG, Stud Size 1/2"	216.00
	KTH 250-12 DN	Conductor Size 250 MCM (120 mm ²), Stud Size 1/2"	240.00
	KTH 300-12 DN	Conductor Size 300 MCM (150 mm ²), Stud Size 1/2"	288.00
	KTH 350-12 DN	Conductor Size 350 MCM, Stud Size 1/2"	352.00
	KTH 400-16 DN	Conductor Size 400 MCM (185mm ²), Stud Size 1/2"	400.00
	KTH 500-16 DN	Conductor Size 500 MCM (240 mm ²), Stud Size 1/2"	525.00
	KTH 600-16 DN	Conductor Size 600 MCM (300 mm ²), Stud Size 1/2"	740.00
	KTH 750-16 DN	Conductor Size 750 MCM, Stud Size 1/2"	865.00
	KTH 800-16 DN	Conductor Size 800 MCM (400 mm ²), Stud Size 1/2"	980.00
KTH 1000-16 DN	Conductor Size 1000 MCM (500 mm ²), Stud Size 1/2"	1,200.00	
	Copper Lugs High Voltage One - Hole Long Barrel 90° Pad		
	KOHL 8-6	Conductor Size 8 AWG, Stud Size 1/4"	50.00
	KOHL 6-6	Conductor Size 6 AWG (16 mm ²), Stud Size 1/4"	56.00
	KOHL 4-6	Conductor Size 4 AWG (25 mm ²), Stud Size 1/4"	60.00
	KOHL 2-8	Conductor Size 2 AWG (35mm ²), Stud Size 5/16"	72.00
	KOHL 1/0-12	Conductor Size 1/0 AWG (50 mm ²), Stud Size 1/2"	168.00
	KOHL 2/0-12	Conductor Size 2/0 AWG (70 mm ²), Stud Size 1/2"	180.00
	KOHL 3/0-12	Conductor Size 3/0 AWG (95 mm ²), Stud Size 1/2"	192.00
	KOHL 4/0-12	Conductor Size 4/0 AWG, Stud Size 1/2"	204.00
	KOHL 250-12	Conductor Size 250 MCM (120 mm ²), Stud Size 1/2"	240.00
	KOHL 300-12	Conductor Size 300 MCM (150 mm ²), Stud Size 1/2"	264.00
	KOHL 350-12	Conductor Size 350 MCM, Stud Size 1/2"	290.00
	KOHL 400-16	Conductor Size 400 MCM (185mm ²), Stud Size 5/8"	312.00
	KOHL 500-16	Conductor Size 500 MCM (240 mm ²), Stud Size 5/8"	420.00
	KOHL 600-16	Conductor Size 600 MCM (300 mm ²), Stud Size 5/8"	660.00
	KOHL 750-16	Conductor Size 750 MCM, Stud Size 5/8"	780.00
	KOHL 800-16	Conductor Size 800 MCM (400 mm ²), Stud Size 5/8"	920.00
KOHL 1000-16	Conductor Size 1000 MCM (500 mm ²), Stud Size 5/8"	1,200.00	

*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	Copper Lugs High Voltage Two - Hole Long Barrel 90° Pad		
	KTHL 8-6 DN	Conductor Size 8 AWG , Stud Size 1/4"	72.00
	KTHL 6-6 DN	Conductor Size 6 AWG (16 mm ²), Stud Size 1/4"	78.00
	KTHL 4-6 DN	Conductor Size 4 AWG (25 mm ²), Stud Size 1/4"	90.00
	KTHL 2-8 DN	Conductor Size 2 AWG (35mm ²), Stud Size 5/16"	120.00
	KTHL 1/0-12 DN	Conductor Size 1/0 AWG (50 mm ²), Stud Size 1/2"	204.00
	KTHL 2/0-12 DN	Conductor Size 2/0 AWG (70 mm ²), Stud Size 1/2"	216.00
	KTHL 3/0-12 DN	Conductor Size 3/0 AWG (95 mm ²), Stud Size 1/2"	228.00
	KTHL 4/0-12 DN	Conductor Size 4/0 AWG, Stud Size 1/2"	240.00
	KTHL 250-12 DN	Conductor Size 250 MCM (120 mm ²) , Stud Size 1/2"	288.00
	KTHL 300-12 DN	Conductor Size 300 MCM (150 mm ²) , Stud Size 1/2"	312.00
	KTHL 350-12 DN	Conductor Size 350 MCM , Stud Size 1/2"	370.00
	KTHL 400-16 DN	Conductor Size 400 MCM (185mm ²) , Stud Size 1/2"	430.00
	KTHL 500-16 DN	Conductor Size 500 MCM (240 mm ²) , Stud Size 1/2"	550.00
	KTHL 600-16 DN	Conductor Size 600 MCM (300 mm ²) , Stud Size 1/2"	820.00
	KTHL 750-16 DN	Conductor Size 750 MCM , Stud Size 1/2"	860.00
	KTHL 800-16 DN	Conductor Size 800 MCM (400 mm ²) , Stud Size 1/2"	1,040.00
KTHL 1000-16 DN	Conductor Size 1000 MCM (500 mm ²) , Stud Size 1/2"	1,300.00	
	Copper Lugs Barrel Short Pad Blank		
	KOL 6-6	Conductor Size 6 mm ² , Hole Size 6.4 mm	9.00
	KOL 6-8	Conductor Size 6 mm ² , Hole Size 8.4 mm	9.00
	KOL 10-6	Conductor Size 10 mm ² , Hole Size 6.4 mm	10.00
	KOL 10-8	Conductor Size 10 mm ² , Hole Size 8.4 mm	10.00
	KOL 16-6	Conductor Size 16 mm ² , Hole Size 6.4 mm	14.00
	KOL 16-8	Conductor Size 16 mm ² , Hole Size 8.4 mm	14.00
	KOL 25-8	Conductor Size 25 mm ² , Hole Size 8.4 mm	15.00
	KOL 25-10	Conductor Size 25 mm ² , Hole Size 10.5 mm	15.00
	KOL 35-8	Conductor Size 35 mm ² , Hole Size 8.4 mm	22.00
	KOL 35-10	Conductor Size 35 mm ² , Hole Size 10.5 mm	22.00
	KOL 50-8	Conductor Size 50 mm ² , Hole Size 8.4 mm	38.00
	KOL 50-10	Conductor Size 50 mm ² , Hole Size 10.5 mm	38.00
	KOL 70-10	Conductor Size 70 mm ² , Hole Size 10.5 mm	52.00
	KOL 70-12	Conductor Size 70 mm ² , Hole Size 13 mm	52.00
	KOL 95-10	Conductor Size 95 mm ² , Hole Size 10.5 mm	75.00
	KOL 95-12	Conductor Size 95 mm ² , Hole Size 13 mm	75.00
	KOL 120-12	Conductor Size 120 mm ² , Hole Size 13 mm	100.00
	KOL 120-16	Conductor Size 120 mm ² , Hole Size 17 mm	100.00
	KOL 150-12	Conductor Size 120 mm ² , Hole Size 13 mm	135.00
	KOL 150-16	Conductor Size 120 mm ² , Hole Size 17 mm	135.00
	KOL 185-12	Conductor Size 185 mm ² , Hole Size 13 mm	180.00
	KOL 185-16	Conductor Size 185 mm ² , Hole Size 17 mm	180.00
	KOL 240-16	Conductor Size 240 mm ² , Hole Size 17 mm	255.00
KOL 240-20	Conductor Size 240 mm ² , Hole Size 21 mm	255.00	
KOL 300-16	Conductor Size 300 mm ² , Hole Size 17 mm	360.00	
KOL 300-20	Conductor Size 300 mm ² , Hole Size 21 mm	360.00	
KOL 400-16	Conductor Size 400 mm ² , Hole Size 17 mm	600.00	
KOL 400-20	Conductor Size 400 mm ² , Hole Size 21 mm	600.00	

Figure	Code No.	Technical Parameters	Price ฿
 	Copper C-Clamp		
	CCC 6-6	Cable Size, Run 6-2.5 mm ² Tap 6-1.5 mm ²	15.00
	CCC 10-10	Cable Size, Run 10 mm ² Tap 10-1.5 mm ²	20.00
	CCC 16-16	Cable Size, Run 16 mm ² Tap 16-1.5 mm ²	40.00
	CCC 25-10	Cable Size, Run 25 mm ² Tap 10-1.5 mm ²	50.00
	CCC 25-25*	Cable Size, Run 25 mm ² Tap 25-10mm ²	60.00
	CCC 35-16	Cable Size, Run 35 mm ² Tap 16-1.5 mm ²	80.00
	CCC 35-35*	Cable Size, Run 35 mm ² Tap 35-10mm ²	110.00
	CCC 50-25	Cable Size, Run 50 mm ² Tap 25-4 mm ²	190.00
	CCC 50-50*	Cable Size, Run 50 mm ² Tap 50-35mm ²	190.00
	CCC 70-35	Cable Size, Run 70 mm ² Tap 35-4 mm ²	200.00
	CCC 70-70*	Cable Size, Run 70 mm ² Tap 70-35 mm ²	200.00
	CCC 95-35	Cable Size, Run 95 mm ² Tap 35-4 mm ²	250.00
	CCC 95-70	Cable Size, Run 95 mm ² Tap 70-50 mm ²	250.00
	CCC 95-95*	Cable Size, Run 95 mm ² Tap 95-50 mm ²	250.00
	CCC 120-120*	Cable Size, Run 120 mm ² Tap 120-25 mm ²	330.00
	CCC 150-120	Cable Size, Run 150 mm ² Tap 120-25 mm ²	380.00
	CCC 150-150*	Cable Size, Run 150 mm ² Tap 150-25 mm ²	380.00
	CCC 185-95*	Cable Size, Run 185 mm ² Tap 95-25 mm ²	440.00
	CCC 185-185	Cable Size, Run 185 mm ² Tap 185-120 mm ²	440.00
CCC 240-120	Cable Size, Run 240 mm ² Tap 120-95 mm ²	800.00	
CCC 240-240	Cable Size, Run 240 mm ² Tap 240-120 mm ²	800.00	
	Hydraulic Crimping Tool		
	HCT-S1	Crimpinhg force 50 KN	On request
	HCT-M1	Crimpinhg force 120 KN	On request
	HCT-P1	Hydraulic Pump Low Pressure 350 bar High pressure 10,000 bar	On request
	C-Clamp : Dies		
		C-Clamp : dies set for HCT-S1	On request
		C-Clamp : dies set for HCT-M1	On request
		C-Clamp : dies set for HCT-P1	On request
	Lugs : Dies		
		Lug : Dies set for HCT-S1	On request
		Lug : Dies set for HCT-S1	On request
		Lug : Dies set for HCT-S1	On request









*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
Handle Clamp			
 HCC00-Z or HCD00-Z  HCC00-V or HCD00-V  HCC00-V1 or HCD00-V1  HCC00-U or HCD00-U  HCC00-W or HCD00-W  HCC00-T or HCD00-T  HCC00-M or HCD00-M  HCH00  HCW00	HCB00	Handle Clamp Type "B"	2,000.00
	HCC00	Handle Clamp Type "C"	3,200.00
	HCD00	Handle Clamp Type "D"	3,600.00
	HCC00-X	Handle Clamp Type "C" with Chain Support "X"	5,600.00
	HCD00-X	Handle Clamp Type "D" with Chain Support "X"	6,000.00
	HCC00-Y	Handle Clamp Type "C" with Chain Support "Y"	5,600.00
	HCD00-Y	Handle Clamp Type "D" with Chain Support "Y"	6,000.00
	HCC00-Z	Handle Clamp Type "C" with Chain Support "Z"	6,600.00
	HCD00-Z	Handle Clamp Type "D" with Chain Support "Z"	7,000.00
	HCC00-V	Handle Clamp Type "C" with Chain Support "V"	8,000.00
	HCD00-V	Handle Clamp Type "D" with Chain Support "V"	8,400.00
	HCC00-V1	Handle Clamp Type "C" with Chain Support "V1"	8,000.00
	HCD00-V1	Handle Clamp Type "D" with Chain Support "V1"	8,400.00
	HCC00-U	Handle Clamp Type "C" with Chain Support "U"	5,600.00
	HCD00-U	Handle Clamp Type "D" with Chain Support "U"	6,000.00
	HCC00-W	Handle Clamp Type "C" with BeamSupport "W"	On Request
	HCD00-W	Handle Clamp Type "D" with Beam Support "W"	On Request
	HCC00-T	Handle Clamp Type "C" with Beam Support "T"	On Request
	HCD00-T	Handle Clamp Type "D" with Beam Support "T"	On Request
	HCC00-M	Handle Clamp Type "C" with Magnetic Support "M"	On Request
HCD00-M	Handle Clamp Type "D" with Magnetic Support "M"	On Request	
HCW00	Handle Clamp Type "W"	On Request	
HCH00	Handle Clamp Type "H"	On Request	
HCF00	Handle Clamp Type "F"	On Request	
Graphite Mould for Cable			
A	Graphite Mould Type A	2,400.00	
B	Graphite Mould Type B	3,600.00	
C	Graphite Mould Type C	4,600.00	
CH	Graphite Mould Type CH	6,400.00	
CL	Graphite Mould Type CL	8,000.00	
CR	Graphite Mould Type CR	9,000.00	
D	Graphite Mould Type D	10,000.00	
DH	Graphite Mould Type DH	12,000.00	
DL	Graphite Mould Type DL	15,000.00	
DR	Graphite Mould Type DR	12,000.00	
E	Graphite Mould Type E	12,000.00	
M	Graphite Mould Type M	12,000.00	
J	Graphite Mould Type J	24,000.00	
V	Graphite Mould Type V	24,000.00	
<p>Tools Request :</p>  Mould  Mould brush  Handle clamp  Scraper  Metal powder  Steel disk  Flint igniter  Cable clean brush <p>Tools Advice :</p> <ul style="list-style-type: none"> • Tool box • Butane torch • Butane gas • Gloves 			


*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿	
	Tool & Accessories			
	KTA001	Tool Box	4,000.00	
	KTA002	8" File	300.00	
	KTA003	Busbar Brush	600.00	
	KTA004	Pincers	600.00	
	KTA005	Screwdriver	240.00	
	KTA006	Cable Clean Brush	800.00	
	KTA007	Mould Brush	400.00	
	KTA008	Scraper for Metal Powder Size 15-32 g	150.00	
	KTA009	Scraper for Metal Powder Size 45-90 g	150.00	
	KTA010	Scraper for Metal Powder Size 115-250 g	150.00	
	KTA011	Scraper for Metal Powder Size 300 g	150.00	
	KTA014	Flint Igniter	500.00	
	KTA015	Disk Container	200.00	
	KTA016	Cable Clamp	2,400.00	
	KTA017	Butane Torch	1,200.00	
	KTA018	Butane Gas	140.00	
	KTA019	Gloves	600.00	
	KTA020	Ceramic Fiber	60.00	
		Weld Metal Powder (KW Type)		
		KW 15	Metal Powder Size 15 g	80.00
KW 25		Metal Powder Size 25 g	88.00	
KW 32		Metal Powder Size 32 g	100.00	
KW 45		Metal Powder Size 45 g	135.00	
KW 65		Metal Powder Size 65 g	155.00	
KW 90		Metal Powder Size 90 g	230.00	
KW 115		Metal Powder Size 115 g	290.00	
KW 150		Metal Powder Size 150 g	360.00	
KW 200		Metal Powder Size 200 g	440.00	
KW 250		Metal Powder Size 250 g	520.00	
Weld Metal powder (KR Type)				
KR 25		Metal Powder Size 25 g	88.00	
KR 45		Metal Powder Size 45 g	135.00	
KR 65		Metal Powder Size 65 g	155.00	
KR 90		Metal Powder Size 90 g	230.00	
KR 115		Metal Powder Size 115 g	290.00	
KR 150		Metal Powder Size 150 g	360.00	
KR 200		Metal Powder Size 200 g	440.00	
KR 250		Metal Powder Size 250 g	520.00	
Weld Metal powder (KB Type)				
KB 15		Metal Powder Size 15 g	80.00	
KB 25		Metal Powder Size 25 g	88.00	
KB 32		Metal Powder Size 32 g	100.00	
KB 45		Metal Powder Size 45 g	135.00	
KB 65		Metal Powder Size 65 g	155.00	


*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า

Figure	Code No.	Technical Parameters	Price ฿
	One Time Unit (One Way Cable to Rod)		
	CR 135	Cable Size 16-35 mm ² , Rod Size 5/8", 3/4"	240.00
	CR 150	Cable Size 50 mm ² , Rod Size 5/8", 3/4"	260.00
	CR 1120	Cable Size 70-120 mm ² , Rod Size 5/8", 3/4"	300.00
	CR 1185	Cable Size 150-185 mm ² , Rod Size 5/8", 3/4"	700.00
	CR 1300	Cable Size 240-300 mm ² , Rod Size 5/8", 3/4"	750.00
	One Time Unit (Two Way Cable to Rod)		
	CR 235	Cable Size 16-35 mm ² , Rod Size 5/8", 3/4"	245.00
	CR 250	Cable Size 50 mm ² , Rod Size 5/8", 3/4"	265.00
	CR 2120	Cable Size 70-120 mm ² , Rod Size 5/8", 3/4"	305.00
	CR 2185	Cable Size 150-185 mm ² , Rod Size 5/8", 3/4"	750.00
	CR 2300	Cable Size 240-300 mm ² , Rod Size 5/8", 3/4"	800.00
	One Time Unit (Three Way Cable to Rod)		
	CR 350	Cable Size 16-50 mm ² , Rod Size 5/8", 3/4"	270.00
	CR 395	Cable Size 70-95 mm ² , Rod Size 5/8", 3/4"	310.00
	CR 3150	Cable Size 120-150 mm ² , Rod Size 5/8", 3/4"	800.00
	CR 3300	Cable Size 185-300 mm ² , Rod Size 5/8", 3/4"	850.00
	One Time Unit (Four Way Cable to Rod)		
	CR 435	Cable Size 16-35 mm ² , Rod Size 5/8", 3/4"	280.00
	CR 470	Cable Size 50-70 mm ² , Rod Size 5/8", 3/4"	320.00
	CR 4150	Cable Size 95-150 mm ² , Rod Size 5/8", 3/4"	850.00
	CR 4300	Cable Size 185-300 mm ² , Rod Size 5/8", 3/4"	900.00
	One Time Unit (Two Way Cable)		
	CC 235	Cable Size 16-35 mm ²	240.00
	CC 250	Cable Size 50 mm ²	260.00
	CC 2120	Cable Size 70-120 mm ²	300.00
	CC 2185	Cable Size 150-185 mm ²	700.00
	CC 2300	Cable Size 240-300 mm ²	750.00
	One Time Unit (Three Way Cable)		
	CC 335	Cable Size 16-35 mm ²	245.00
	CC 350	Cable Size 50 mm ²	265.00
	CC 3120	Cable Size 70-120 mm ²	305.00
	CC 3185	Cable Size 150-185 mm ²	750.00
	CC 3300	Cable Size 240-300 mm ²	800.00
	One Time Unit (Four Way Cable)		
	CC 435	Cable Size 16-35 mm ²	270.00
	CC 470	Cable Size 50-70 mm ²	310.00
	CC 4150	Cable Size 95-150 mm ²	800.00
	CC 4300	Cable Size 185-300 mm ²	850.00
	One Time Unit (Cable to Bar)		
	CC 135	Cable Size 16-35 mm ²	290.00
	CC 150	Cable Size 50 mm ²	320.00
	CC 1120	Cable Size 70-120 mm ²	340.00
	CC 1150	Cable Size 150-185 mm ²	850.00
	CC 1300	Cable Size 240-300 mm ²	900.00

GROUNDING




CABLE TO CABLE





CABLE TO LUG OR BUS BAR

EXOTHERMIC WELDING




EXOTHERMIC WELDING




*ราคานี้ยังไม่รวม VAT 7% และ ราคาอาจมีการเปลี่ยนแปลงโดยไม่ต้องแจ้งล่วงหน้า


EXOTHERMIC WELDING




LUG OR BUS BAR TO STEEL




CABLE & GROUND PLATES TO STEEL




**CABLE TO AIRCRAFT
GROUNDING RECEPTACLE**




COPPER OR STEEL STUD TO STEEL



**CABLE & AIRCRAFT GROUNDING
RECEPTACLE TO GROUND ROD**



CABLE TO RAIL



GROUND ROD TO GROUND ROD