





### Corrugate Cable Tray (HDG) : 100H x L3000




1. Cable Tray



2. Horizontal 90 Elbow




3. Horizontal TEE




4. Inside Vertical




5. Outside Vertical



6. Horizontal Cross



7. Reducer Plate



8. Blind End


ออบสังกะสี T1.6/1.6mm Hot Dip Galvanized	Corrugate Straight TH	Horizontal 90 Elbow TH-HE	Horizontal TEE TH-HT	Inside/ Outside TH-	Horizontal Cross TH-HC	Reducer Plate	Blind End	Bracket
Cable Tray (TH)	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T
200Wx100Hx3000L	2,230	1,100	1,320	900	1,584	84	84	140
300Wx100Hx3000L	2,710	1,460	1,752	1,198	2,102	108	108	188
400Wx100Hx3000L	3,182	1,870	2,244	1,534	2,692	132	132	236
500Wx100Hx3000L	3,660	2,300	2,760	1,886	3,312	156	156	284
600Wx100Hx3000L	4,140	2,790	3,348	2,288	4,020	180	180	332
700Wx100Hx3000L	4,614	3,330	3,930	2,730	4,716	204	204	380
800Wx100Hx3000L	5,090	3,896	4,670	3,194	5,604	228	228	428
900Wx100Hx3000L	5,570	4,516	5,420	3,702	6,504	252	252	476
1000Wx100Hx3000L	6,046	5,180	6,216	4,248	7,460	276	276	524

ออบสังกะสี T2/1.6mm Hot Dip Galvanized	Cable Tray 2.0/1.6T	Horizontal 90 Elbow 2.0/1.6T	Horizontal TEE 2.0/1.6T	Inside/ Outside 2.0/1.6T	Horizontal Cross 2.0/1.6T	Reducer Plate 2.0/1.6T	Blind End 2.0/1.6T	Bracket 2.0/1.6T
Cable Tray (TH)	2.0/1.6T	2.0/1.6T	2.0/1.6T	2.0/1.6T	2.0/1.6T	2.0/1.6T	2.0/1.6T	2.0/1.6T
200Wx100Hx3000L	2,516	1,176	1,410	964	1,692	96	96	150
300Wx100Hx3000L	2,992	1,534	1,840	1,256	2,208	120	120	198
400Wx100Hx3000L	3,470	1,922	2,306	1,576	2,768	144	144	246
500Wx100Hx3000L	3,984	2,354	2,824	1,930	3,388	168	168	294
600Wx100Hx3000L	4,424	2,830	3,396	2,320	4,076	192	192	342
700Wx100Hx3000L	4,900	3,350	4,020	2,748	4,824	216	216	390
800Wx100Hx3000L	5,380	3,900	4,680	3,198	5,616	240	240	438
900Wx100Hx3000L	5,856	4,510	5,412	3,698	6,496	264	264	486
1000Wx100Hx3000L	6,334	5,154	6,184	4,226	7,420	288	288	534


\*มาตรฐาน ASTM-A123 ความหนาของการ ออบสังกะสีไม่ต่ำกว่า 60 Micron




### Corrugate Cable Tray (HDG) : 100H x L3000




9. Splice plate




10. Expansion Splice plate



11. 90 Splice plate



12. Vertical Adjust



13. Horizontal Adjust



14. Hold Down Clamp



15 Separate for 100H

Accessories Type		HDG T1.6 mm	HDG T2.0 mm
LH-CS-005	Splice Plate ข้อต่อตรง	70	74
	Expansion Splice Plate	70	74
LH-CS-004	90' Splice Plate ข้อต่อลงตู้	70	74
LH-CS-003	Vertical Adjust ข้อต่อปรับขึ้นลง	180	190
LH-CS-009	Horizontal Adjust ข้อต่อปรับข้าง	180	190
LH-CS-006	Hold Down Clamp	32	36
LH-CS-007	Separator for 100H แผ่นกั้นกลาง	560	600



**Corrugate Cable Tray(Epoxy) : 100H x L3000**


พ่นสี T1.6/1.6mm Epoxy	Cable Tray TP	Horizontal 90 Elbow TP-HE	Horizontal TEE TP-HT	Inside/ Outside TP-IV/OV	Horizontal Cross TP-HC	Reducer Plate	Blind End	Bracket
Cable Tray (TP)	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T
200Wx100Hx3000L	1,976	890	1,068	730	1,280	74	74	100
300Wx100Hx3000L	2,398	1,170	1,404	960	1,684	98	98	126
400Wx100Hx3000L	2,820	1,510	1,812	1,240	2,174	122	122	152
500Wx100Hx3000L	3,244	1,854	2,224	1,520	2,668	146	146	178
600Wx100Hx3000L	3,668	2,250	2,700	1,846	3,240	170	170	204
700Wx100Hx3000L	4,090	2,686	3,224	2,200	3,868	194	194	230
800Wx100Hx3000L	4,514	3,140	3,768	2,574	4,520	218	218	256
900Wx100Hx3000L	4,940	3,640	4,368	2,984	5,240	242	242	282
1000Wx100Hx3000L	5,360	4,172	5,000	3,420	6,000	266	266	308

พ่นสี T2/1.6mm Epoxy	Cable Tray	Horizontal 90 Elbow	Horizontal TEE	Inside/ Outside	Horizontal Cross	Reducer Plate	Blind End	Bracket
Cable Tray (TP)	2/1.6T	2/1.6T	2/1.6T	2/1.6T	2/1.6T	2/1.6T	2/1.6T	2.0/1.6T
200Wx100Hx3000L	2,140	1,000	1,200	820	1,440	84	84	110
300Wx100Hx3000L	2,560	1,300	1,560	1,066	1,872	108	108	136
400Wx100Hx3000L	2,984	1,630	1,956	1,336	2,348	132	132	162
500Wx100Hx3000L	3,406	2,000	2,400	1,640	2,880	156	156	188
600Wx100Hx3000L	3,830	2,406	2,890	1,972	3,468	180	180	214
700Wx100Hx3000L	4,254	2,848	3,420	2,336	4,104	204	204	240
800Wx100Hx3000L	4,676	3,320	3,984	2,722	4,780	228	228	266
900Wx100Hx3000L	5,100	3,830	4,596	3,140	5,516	252	252	292
1000Wx100Hx3000L	5,524	4,380	5,256	3,590	6,308	276	276	318


Accessories Type	Epoxy : ขาว, เท, 5Y7/1	
	1.6T	2T
Splice Plate	66	70
Expansion Splice Plate	66	70
90' Splice Plate	66	70
Vertical Adjust	172	184
Horizontal Adjust	172	184
Hold Down Clamp	30	32
Separator for 100H	540	560



### Perforate Cable Tray (HDG) : 100H x L3000




1. Perforate Cable Tray




2. Horizontal 90 Elbow



3. Horizontal TEE




4. Inside Vertical



5. Outside Vertical



6. Horizontal Cross



7. Reducer Plate




8. Blind end


ออบสังกะสี T1.6mm Hot Dip Galvanized	Perforate	Horizontal	Horizontal	Inside/	Horizontal
	Straight	90 Elbow	TEE	Outside	Cross
	PTH	PTH-HE	PTH-HT	PH-	PTH-HC
<b>Perforate (PTH)</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>
100Wx100Hx3000L	1,640	1,080	1,540	756	2,404
150Wx100Hx3000L	1,900	1,220	1,730	854	2,590
200Wx100Hx3000L	2,156	1,380	1,960	966	2,782
250Wx100Hx3000L	2,414	1,550	2,202	1,086	2,988
300Wx100Hx3000L	2,666	1,700	2,414	1,190	3,196
350Wx100Hx3000L	2,924	1,890	2,684	1,324	3,420
400Wx100Hx3000L	3,180	2,080	2,954	1,456	3,650
450Wx100Hx3000L	3,438	2,280	3,240	1,596	3,980
500Wx100Hx3000L	3,694	2,500	3,550	1,750	4,130
600Wx100Hx3000L	—	—	—	—	—

ออบสังกะสี T2mm Hot Dip Galvanized	Perforate	Horizontal	Horizontal	Inside/	Horizontal
	Straight	90 Elbow	TEE	Outside	Cross
	PTH	PTH-HE	PTH-HT	PH-	PTH-HC
<b>Perforate (PTH)</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>
100Wx100Hx3000L	1,824	1,288	1,830	900	2,940
150Wx100Hx3000L	2,110	1,458	2,070	1,020	3,164
200Wx100Hx3000L	2,394	1,640	2,330	1,150	3,400
250Wx100Hx3000L	2,670	1,840	2,612	1,300	3,648
300Wx100Hx3000L	2,964	2,040	2,896	1,430	3,910
350Wx100Hx3000L	3,250	2,260	3,210	1,582	4,176
400Wx100Hx3000L	3,534	2,490	3,536	1,744	4,458
450Wx100Hx3000L	3,820	2,740	3,890	1,920	4,748
500Wx100Hx3000L	4,100	2,998	4,260	2,100	5,052
600Wx100Hx3000L	4,674	3,546	5,040	2,482	5,960


\* มาตรฐาน ASTM-A123 ความหนาของการ ออบสังกะสีไม่ต่ำกว่า 60 Micron




**Perforate Cable Tray (HDG) : 100H x L3000**




9. Splice plate




10. Expansion Splice plate



11. 90 Splice plate




12. Vertical Adjust



13. Horizontal Adjust




14. Hold Down Clamp



15 Separate for 100H

Accessories Type	HDG	HDG
	1.6T	2.0T
Splice Plate	70	74
Expansion Splice Plate	70	74
90' Splice Plate	70	74
Vertical Adjust	180	190
Horizontal Adjust	180	190
Hold Down Clamp	32	36
Separator for 100H	560	600



**Perforate Cable Tray (Epoxy) : 100H x L3000**

พ่นสี T1.6mm Epoxy	Perforate	Horizontal	Horizontal	Inside/	Horizontal
	Straight PTP	90 Elbow PTP-HE	TEE PTP-HT	Outside PTP-IV/OV	Cross PTP-HC
<b>Perforate Tray (PTP)</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>
100Wx100Hx3000L	1,388	930	1,320	650	2,240
150Wx100Hx3000L	1,600	1,054	1,496	740	2,406
200Wx100Hx3000L	1,824	1,186	1,684	830	2,588
250Wx100Hx3000L	2,036	1,330	1,888	930	2,776
300Wx100Hx3000L	2,250	1,480	2,102	1,040	2,970
350Wx100Hx3000L	2,470	1,640	2,330	1,150	3,176
400Wx100Hx3000L	2,688	1,800	2,556	1,260	3,390
450Wx100Hx3000L	2,900	1,984	2,820	1,390	3,620
500Wx100Hx3000L	3,116	2,170	3,080	1,520	3,842
600Wx100Hx3000L	3,550	2,570	3,650	1,800	4,330

พ่นสี T2mm Epoxy	Perforate	Horizontal	Horizontal	Inside/	Horizontal
	Straight PTP	90 Elbow PTP-HE	TEE PTP-HT	Outside PTP-IV/OV	Cross PTP-HC
<b>Perforate Tray (PTP)</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>
100Wx100Hx3000L	1,586	1,064	1,510	750	2,556
150Wx100Hx3000L	1,834	1,200	1,704	840	2,754
200Wx100Hx3000L	2,080	1,356	1,926	950	2,958
250Wx100Hx3000L	2,330	1,518	2,158	1,060	3,174
300Wx100Hx3000L	2,574	1,690	2,400	1,184	3,400
350Wx100Hx3000L	2,820	1,872	2,660	1,332	3,640
400Wx100Hx3000L	3,070	2,065	2,940	1,460	3,878
450Wx100Hx3000L	3,316	2,270	3,228	1,600	4,132
500Wx100Hx3000L	3,562	2,482	3,524	1,760	4,394
600Wx100Hx3000L	4,066	2,940	4,180	2,080	4,950

Accessories Type	Epoxy : ขาว, เทอ, 5Y7/1	
	1.6T	2.0T
Splice Plate	66	70
Expansion Splice Plate	66	70
90' Splice Plate	66	70
Vertical Adjust	172	184
Horizontal Adjust	172	184
Hold Down Clamp	30	32
Separator for 100H	540	560




**Perforate Cable Tray (HDG) : 50H x L3000**

อาบสังกะสี T1.6/1.6mm Hot Dip Galvanized Perforate (PTH)	Perforate Straight PTH	Horizontal 90 Elbow PTH-HE	Horizontal TEE PTH-HT	Inside/ Outside PTH-	Horizontal Cross PTH-HC
Perforate (PTH)	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T	1.6/1.6T
50Wx50Hx3000L	964	730	1,280	600	2,016
75Wx50Hx3000L	1,106	790	1,310	654	2,100
100Wx50Hx3000L	1,152	880	1,342	730	2,200
150Wx50Hx3000L	1,414	980	1,500	810	2,400
200Wx50Hx3000L	1,676	1,126	1,674	930	2,600
250Wx50Hx3000L	1,968	1,278	1,850	1,060	2,800
300Wx50Hx3000L	2,236	1,440	2,040	1,196	3,030
350Wx50Hx3000L	2,512	1,620	2,246	1,344	3,260
400Wx50Hx3000L	2,784	1,800	2,456	1,494	3,500

อาบสังกะสี T2/2mm Hot Dip Galvanized Perforate (PTH)	Perforate Straight PTH	Horizontal 90 Elbow PTH-HE	Horizontal TEE PTH-HT	Inside/ Outside PTH-IV/OV	Horizontal Cross PTH-HC
50Wx50Hx3000L	1,298	950	1,500	788	2,500
75Wx50Hx3000L	1,352	996	1,580	826	2,600
100Wx50Hx3000L	1,408	1,040	1,690	860	2,700
150Wx50Hx3000L	1,728	1,200	1,900	996	2,950
200Wx50Hx3000L	2,076	1,376	2,100	1,020	3,190
250Wx50Hx3000L	2,406	1,562	2,330	1,150	3,450
300Wx50Hx3000L	2,736	1,762	2,580	1,350	3,760
350Wx50Hx3000L	3,066	1,974	2,890	1,450	3,400
400Wx50Hx3000L	3,400	2,200	3,100	1,620	4,270

Accessories Type	HDG	HDG
	1.6T	2.0T
Splice Plate	60	64
Expansion Splice Plate	60	64
90° Splice Plate	60	64
Vertical Adjust	150	170
Horizontal Adjust	150	170
Hold Down Clamp	30	34
Separator for 100H	500	550



**Perforate Cable Tray (Epoxy) : 50H x L3000**


พ่นสี T1.6/1.6mm Epoxy	Perforate	Horizontal	Horizontal	Inside/	Horizontal
	Straight	90 Elbow	TEE	Outside	Cross
	PTP	PTP-HE	PTP-HT	PTP-IV/OV	PTP-HC
<b>Perforate Tray (PTP)</b>	<b>1.6/1.6T</b>	<b>1.6/1.6T</b>	<b>1.6/1.6T</b>	<b>1.6/1.6T</b>	<b>1.6/1.6T</b>
50Wx50Hx3000L	870	630	960	522	1810
75Wx50Hx3000L	990	700	1,010	580	1900
100Wx50Hx3000L	1,070	790	1,080	652	2000
150Wx50Hx3000L	1,314	914	1,200	754	2,160
200Wx50Hx3000L	1,560	1,046	1,340	860	2,370
250Wx50Hx3000L	1,800	1,188	1,480	920	2,550
300Wx50Hx3000L	2,044	1,340	1,630	1,020	2,780
350Wx50Hx3000L	2,288	1,500	1,790	1,150	2,980
400Wx50Hx3000L	2,532	1,670	1,980	1,250	3,180

พ่นสี T2/2mm Epoxy	Perforate	Horizontal	Horizontal	Inside/	Horizontal
	Straight	90 Elbow	TEE	Outside	Cross
	PTP	PTP-HE	PTP-HT	PTP-IV/OV	PTP-HC
<b>Perforate Tray (PTP)</b>	<b>2.0/2.0T</b>	<b>2.0/2.0T</b>	<b>2.0/2.0T</b>	<b>2.0/2.0T</b>	<b>2.0/2.0T</b>
50Wx50Hx3000L	1,100	800	1,280	664	2,100
75Wx50Hx3000L	1,086	880	1,360	730	2,160
100Wx50Hx3000L	1,224	900	1,430	744	2,280
150Wx50Hx3000L	1,504	1,046	1,598	868	2,488
200Wx50Hx3000L	1,780	1,190	1,780	950	2,690
250Wx50Hx3000L	2,060	1,360	1,970	1,080	2,950
300Wx50Hx3000L	2,340	1,530	2,170	1,250	3,160
350Wx50Hx3000L	2,620	1,720	2,388	1,350	3,400
400Wx50Hx3000L	2,894	1,910	2,610	1,450	3,660


Accessories	Epoxy : ขาว, เเทา, 5Y7/0 Epoxy : ขาว, เเทา, 5Y7/1	
	1.6t	2.0t
Type		
Splice Plate	50	54
Expansion Splice Plate	50	54
90' Splice Plate	50	54
Vertical Adjust	140	150
Horizontal Adjust	140	150
Hold Down Clamp	26	30
Separator for 100H	400	480



**Cover (Epoxy) : Cover for Tray , Cable Ladder , Perforerate Tray**




1. Cable Tray




2. Horizontal 90 Elbow



3. Horizontal TEE



4. Inside Vertical



5. Outside Vertical



6. Horizontal Cross

พ่นสี T1.6mm Cover Epoxy	Cable Ladder TH	Horizontal 90 Elbow TH-HE	Horizontal TEE TH-HT	Inside/ Outside TH-	Horizontal Cross TH-HC
50Wx1500L	220	460	860	170	1,430
100Wx1500L	320	562	990	250	1,580
150Wx1500L	440	664	1,130	330	1,740
200Wx1500L	550	778	1,280	420	1,906
300Wx1500L	760	1,026	1,600	590	2,370
400Wx1500L	984	1,310	1,960	770	2,574
500Wx1500L	1,210	1,628	2,350	950	2,960
600Wx1500L	1,430	1,980	2,778	1,120	3,080
700Wx1500L	1,650	2,370	3,240	1,286	3,256
800Wx1500L	1,880	2,754	3,710	1,460	1,768
900Wx1500L	2,100	3,140	4,100	1,640	2,080
1000Wx1500L	2,320	3,374	4,620	1,810	4,410

พ่นสี T2mm Cover Epoxy	Cable Ladder TH	Horizontal 90 Elbow TH-HE	Horizontal TEE TH-HT	Inside/ Outside TH-	Horizontal Cross TH-HC
100Wx1500L	358	640	1,128	280	1,930
150Wx1500L	486	760	1,288	380	2,122
200Wx1500L	620	888	1,460	480	2,332
300Wx1500L	868	1,174	1,830	680	2,772
400Wx1500L	1,126	1,498	2,240	880	3,146
500Wx1500L	1,380	1,862	2,688	1,070	3,620
600Wx1500L	1,640	2,266	3,178	1,272	3,660
700Wx1500L	1,890	2,710	3,706	1,470	3,920
800Wx1500L	2,150	3,150	4,244	1,670	4,520
900Wx1500L	2,400	3,588	4,690	1,870	4,940
1000Wx1500L	2,660	3,860	5,280	2,070	5,350





### Cover for Cable Tray (HDG) : Cover for Tray , Cable Ladder , Perforate Tray

อาบสังกะสี T1.6mm Hot Dip Galvanized	Cover for	Horizontal	Horizontal	Inside/	Horizontal
	Straight	90 Elbow	TEE	Outside	Cross
	TH	TH-HE	TH-HT	Vertical	TH-HC
<b>Cover HDG</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>	<b>1.6T</b>
50Wx1500L	250	500	920	190	1,620
100Wx1500L	340	620	1,060	270	1,790
150Wx1500L	470	720	1,212	360	1,974
200Wx1500L	580	836	1,372	450	2,166
300Wx1500L	820	1,104	1,720	640	2,694
400Wx1500L	1,060	1,410	2,110	850	2,924
500Wx1500L	1,300	1,752	2,530	1,010	3,364
600Wx1500L	1,550	2,130	2,988	1,200	3,500
700Wx1500L	1,780	2,550	3,486	1,390	3,700
800Wx1500L	2,030	2,886	3,992	1,570	2,010

อาบสังกะสี T2mm Hot Dip Galvanized	Cable	Horizontal	Horizontal	Inside/	Horizontal
	Ladder	90 Elbow	TEE	Outside	Cross
	Straight			Vertical	
<b>Cover HDG</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>	<b>2T</b>
50Wx1500L	280	600	1,124	220	1,980
100Wx1500L	410	740	1,298	320	2,190
150Wx1500L	560	874	1,480	450	2,412
200Wx1500L	706	1,020	1,678	550	2,650
300Wx1500L	1,000	1,350	2,102	780	3,150
400Wx1500L	1,294	1,722	2,574	1,010	3,574
500Wx1500L	1,588	2,140	3,090	1,250	4,114
600Wx1500L	1,882	2,600	3,652	1,464	4,160
700Wx1500L	2,176	3,120	4,260	1,690	4,454
800Wx1500L	2,470	3,624	4,880	1,920	5,130
900Wx1500L	2,764	4,124	5,360	2,150	5,610
1000Wx1500L	3,058	4,436	5,800	2,380	6,080



### Cover Fitting of CableTray , Cable Ladder



EG.M6x140L J-Bolt w/Flange Nut,  
 FW,SW for Cover Fitting

Accessories	Epoxy : สีขาว,เทา, 5Y7/I	
	1.6T	2.0T
<b>Cover Fitting</b>		
100W	30	50
150W	40	60
200W	50	70
300W	70	90
400W	90	110
500W	110	130
600W	130	150
700W	150	170
800W	170	190
900W	190	210
1000W	200	230

Accessories	HDG	
	1.6T	2.0T
<b>Cover Fitting</b>		
100W	40	60
150W	50	70
200W	60	80
300W	80	100
400W	100	120
500W	120	140
600W	140	160
700W	160	180
800W	180	200
900W	200	220
1000W	210	240


### Cover Clamp of Perforate Tray




EG. M8x25L Hex. Bolt w/Nut,  
 FW,SW for Cover Fitting

Accessories	Epoxy	
	1.6T	2.0T
<b>Cover Clamp for 50H</b>		
50Wx50H	52	60
75Wx50H	56	70
100Wx50H	66	78
150Wx50H	82	96
200Wx50H	96	114
250Wx50H	112	130
300Wx50H	128	148
350Wx50H	142	166
400Wx50H	158	166

Accessories	HDG	
	1.6T	2.0T
<b>Cover Clamp for 50H</b>		
50Wx50H	56	64
75Wx50H	60	74
100Wx50H	70	84
150Wx50H	86	102
200Wx50H	100	122
250Wx50H	116	142
300Wx50H	132	160
350Wx50H	146	180
400Wx50H	162	200



### Cover Clamp of Perforate Tray






EG. M8x25L Hex. Bolt w/Nut,  
FW,SW for Cover Fitting

Accessories	Epoxy : สีขาว, ๓๓, 5Y7/I	
Cover Clamp for 100H	1.6T	2.0T
100Wx100H	80	98
150Wx100H	96	118
200Wx100H	112	136
250Wx100H	126	156
300Wx100H	146	176
350Wx100H	158	196
400Wx100H	176	216
450Wx100H	190	232
500Wx100H	206	252
600Wx100H	236	296
700Wx100H	266	326
800Wx100H	298	366
900Wx100H	336	406
1000Wx100H	362	446

Accessories	HDG	
Cover Clamp for 100H	1.6T	2.0T
100Wx100H	84	102
150Wx100H	100	122
200Wx100H	116	140
250Wx100H	130	160
300Wx100H	150	180
350Wx100H	162	200
400Wx100H	180	220
450Wx100H	194	236
500Wx100H	210	256
600Wx100H	240	300
700Wx100H	270	330
800Wx100H	302	370
900Wx100H	340	410
1000Wx100H	366	450

### Accessories: Bracket for Cable Tray, Cable Ladder

Finished TYPE	 Singer 41.2x41.2x2.5t HDG.	 Leunee 82.4x41.2x2.5t HDG.		Bracket สามเหลี่ยม			
				1.6T		2.0T	
Bracket			TYPE	HOTDIP	EPOXY	HOTDIP	EPOXY
200L	128	210	100W	140	100	150	110
300L	166	274	200W	188	126	198	136
400L	204	338	300W	236	152	246	162
500L	242	402	400W	284	178	294	188
600L	280	466	500W	332	204	342	214
700L	318	530	600W	380	230	390	240
800L	356	594	700W	428	256	438	266
900L	394	658	800W	476	282	486	292
1000L	432	722	900W	524	308	534	318
1100L	470	786	1000W	572	334	582	344